

# Safety Data Sheet

CLP: According to 2015/830/EU

Version 2 Revised: 01/08/2022

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product Identifier

**Product Name:** URINAL SCREEN CITRUS FRAGRANCE 4% IN PVC

**Code Number:** 104748 and 104749

**Alternative Name:**

**REACH Reg No:** Not Registered

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Concentrated fragrance material for manufacturing purposes only.

### 1.3 Details of the supplier of the safety data sheet

Robert Scott & Sons Ltd  
Oak View Mills Greenfield  
Oldham  
Lancashire  
OL3 7HG

Tel: +44 (0) 1457 819 400

Email: [sales@robert-scott.co.uk](mailto:sales@robert-scott.co.uk)

## Section 2. Hazard Identification

### 2.1 Classification of the substance or mixture

SS 1A Skin sensitisation, category 1B

### 2.2 CLP Label elements

CLP classification according to Regulation (EC) No 1272/2008

### Hazard Pictograms



**Signal Word** Warning

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

## Hazard Statements

H317 May cause allergic reaction to Skin

## Precautionary Statements

**P273** Avoid release to the environment.

**P302+P352** IF ON SKIN: Wash with plenty of water.

**P333+P313** If skin irritation or rash occurs: Get medical advice.

**P501** Dispose of contents and container in accordance with local regulation.

## 2.3 Other Hazards

Contains Citral which may produce an allergic reaction

## Section 3. Composition / information on ingredients

### 3.1 Mixtures

Complex mixture of fragrance ingredients

#### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 5392-40-5 EINECS 226-394-6 REACH	Citral (3,7-Dimethyl-2,6-octadienal) (Lemarome) (Neral/Geraniol)  SCI 2;SS 1B;EDI 2 H315,H317,H319	>=3%,<5%

Refer to section 16 for the wording of listed classification and hazard statement codes

## Section 4. First Aid measures

### Take phrases in section 2 into account

#### 4.1 Description of First Aid

##### Measures after inhalation

Treat as for choking, obtain immediate medical attention. Mouth to mouth resuscitation should be used only in extreme cases as it may force pellets further into a respirator.

In the unlikely event of inhalation of hot melt, treat as for choking but expect severe burns to respiratory tract. Obtain immediate medical attention.

##### After skin contact

Seek medical advice if irritation persists after washing thoroughly with soap and water or there is any sign of tissue damage.

## Section 5. Fire-fighting measures

### 5.1 Suitable extinguishing materials

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

Water, water mist, carbon dioxide foam, earth, sand and dry powder

## **5.2 Unsuitable extinguishing materials**

None

## **5.3 Major Incidents**

For major fires and those in confined areas self contained breathing apparatus and acid resistant protective clothing should be used. Shower with plenty of water to remove acid fumes. Soak contaminated clothing in 1% sodium bicarbonate solution before re-laundering for reuse.

## **Section 6: Accidental release measures**

Refer to information in sections 7,8 and 13

## **Section 7. Handling and storage**

### **7.1 Storage**

Store in dry adequately ventilated areas at room temperature. Avoid sources of heat and ignition. Store away from food, drink, and animal feeds. Damp storage may affect the strength of the paper packaging.

### **7.2 Fire and Explosion**

PVC is not readily ignitable but will burn releasing toxic fumes. Avoid source of ignition. Usually it is more likely that fire will be initiated by ignition of packaging (paper/polythene bags, wooden pallets or cardboard boxes) rather than the Compound itself.

## **Section 8. Exposure controls / personal protection**

### **8.1 Individual protection measures**

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

## **Section 9: Physical and chemical properties**

### **9.1 Melting Point**

Softens at about 130 degC

### **9.2 Decomposition Temperature**

Decomposition depends on time and temperature but will initiate at about 130 degC where it will take several hours or days. At 200 degC it will increase rapidly, taking only a few minutes. Decomposition releases hydrogen chloride fumes.

## **Section 10: Stability and reactivity**

### **10.1 Stability**

If stored and used in accordance with standard practice this product is unlikely to cause harmful effects.

### **10.2 Conditions to Avoid**

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

High temperatures. Will melt to a coagulated mass above 100degC; decompose at temperatures over 130degC. Also avoid sources of ignition.

#### **Section 11. Toxicological information**

##### **11.1 Information on Toxicological effects Acute Toxicity**

Not Applicable

#### **Section 12. Ecological information**

##### **12.1 Break Down**

Finished articles, is considered ecologically benign. PVC compound is not easily broken down by either micro-organisms or weathering.

##### **12.2 Water Pollution**

Classified as WGK = 0 (self classification) (Wassergefährdungsklasse in Germany). Not water endangering.

#### **Section 13. Disposal Considerations**

contaminated packaging should be disposed of in accordance with national and local regulations. Consult local authorities for advice. Incinerators should be fitted with acid scrubbing and run at a sufficient temperature to avoid evolution of dioxins.

**Recycle if possible.**

#### **Section 14. Transport Information**

Not classified as dangerous goods under transport regulations.

#### **Section 15. Regulatory information**

Not Applicable at this time

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

## **Section 16. Other information**

### **Full list of precautionary phrases**

**P273** Avoid release to the environment.

**P302+P352** IF ON SKIN: Wash with plenty of water.

**P333+P313** If skin irritation or rash occurs: Get medical advice.

**P501** Dispose of contents and container in accordance with local regulation.

### **Wording of any hazard classes listed in section 3**

**SCI 2** Skin corrosion/irritation, category 2

**SS 1B** Skin sensitisation, category 1B

**EDI 2** Eye damage/irritation, category 2

### **Wording of any hazard statements listed in section 3**

**H315** Causes skin irritation

**H317** May cause an allergic skin reaction

**H319** Causes serious eye irritation

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*